L Number	Hits	Search Text	DB	Time stamp
23	38692	(calculat\$4 or determin\$4 or estimat\$4) near3 (percept\$6 or quality)	USPAT;	2004/09/24 09:34
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB;	
	20025		USOCR	2004/00/04 00:25
24	28025	(scheme or kind or type) nearl (compression or coing or encoding)	USPAT;	2004/09/24 09:35
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
25	19	((calculat\$4 or determin\$4 or estimat\$4) near3 (percept\$6 or quality))	USPAT;	2004/09/24 09:07
		with ((scheme or kind or type) near1 (compression or coing or encoding))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	*		IBM_TDB;	
	•		USOCR	
26	44	((calculat\$4 or determin\$4 or estimat\$4) near3 (percept\$6 or quality))	USPAT;	2004/09/24 09:07
	•	same ((scheme or kind or type) near1 (compression or coing or	US-PGPUB;	
		encoding))	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
27	849	((coloulet\$4 on detarmin\$4 on estimat\$4) moon2 (nemerat\$6 on equility))	USOCR	2004/00/24 00:07
27	049	((calculat\$4 or determin\$4 or estimat\$4) near3 (percept\$6 or quality) and ((scheme or kind or type) near1 (compression or coing or encoding))	USPAT;	2004/09/24 09:07
		and ((scheme of kind of type) heart (compression of comg of encoding))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
28	43108	latency	USPAT;	2004/09/24 09:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
20	2		USOCR	
29	3	latency and (((calculat\$4 or determin\$4 or estimat\$4) near3 (percept\$6	USPAT;	2004/09/24 09:09
		or quality)) with ((scheme or kind or type) near1 (compression or coing	US-PGPUB;	
		or encoding)))	EPO; JPO; DERWENT;	
			IBM_TDB;	
			USOCR	
30	10	latency and (((calculat\$4 or determin\$4 or estimat\$4) near3 (percept\$6	USPAT;	2004/09/24 09:10
		or quality)) same ((scheme or kind or type) near1 (compression or coing	US-PGPUB;	
		or encoding)))	EPO; JPO;	
			DERWENT;	
	•		IBM_TDB;	
			USOCR	
31	155	latency and (((calculat\$4 or determin\$4 or estimat\$4) near3 (percept\$6	USPAT;	2004/09/24 09:14
		or quality)) and ((scheme or kind or type) near1 (compression or coing or	US-PGPUB;	
		encoding)))	EPO; JPO;	. 1
			DERWENT; IBM_TDB;	
			USOCR	
32	2176525	@ad>20010821 not (continu\$6 or provision\$4)	USPAT;	2004/09/24 09:14
		(commission of provintents ()	US-PGPUB;	_00,,07,21,07.17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	

or quality) and ((scheme or kind or type) near1 (compression or coing or encoding))) not (@ad>20010821 not (continu\$6 or provision\$4)) 34 27550 (calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality) 35 1147523 (compression or coing or encoding) 36 339 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality) 37 with ((compression or coing or encoding)) 38 13 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 38 with (degrad\$5 or loss or decrease or deteriat\$4) 39 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 30 with (degrad\$5 or loss or decrease or deteriat\$4) 30 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 30 with (degrad\$5 or loss or decrease or deteriat\$4) 31 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 32 with (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) 33 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 34 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 35 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 36 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 37 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 38 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 39 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 30 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 39 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 30 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 30 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 31 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 32 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 33 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) 34 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6	22	154	(later or and (((aslaulated an datamain Ed on agrimated) mage? (namont Ed	USPAT;	2004/09/24 09:15
cencoding)))) not (@ad>20010821 not (continu\$6 or provision\$4)) EPO, PD	33	154	(latency and (((calculat\$4 or determin\$4 or estimat\$4) near3 (percept\$6	'	2004/09/24 09.13
DERWENT; IBM TDB; USOCR USPAT; USP-GPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I					
Section Sect			cheoding)))) not (water 20010021 not (continue of provisions 1))		
SOCR USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM, TDB; USOCR USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM, TDB; USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM, TDB; USPAT; USP-GPUB; EPO; IPO; DERWENT; I					
34 27550					
US-PGPUB; EPO; JPO; DER WENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; JPO; DER WENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DER WENT; IBM_TDB; USOCR USPAT; US-PGPUB; E	34	27550	(calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)	USPAT;	2004/09/24 09:35
Segretary Segr				US-PGPUB;	
Section Sect				EPO; JPO;	
Soc				DERWENT;	
35					
36 339 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality) USOCR USPAT; US-PGPUB; EPO; JPO; With ((compression or coing or encoding)) 37 655 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality) USOCR USPAT; US-PGPUB; EPO; JPO; With (degrad\$5 or loss or decrease or deteriat\$4) 38 13 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality) USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR USPAT;					
September Sept	35	1147523	(compression or coing or encoding)		2004/09/24 09:35
36 339 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with ((compression or coing or encoding)) 37 655 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4) 38 13 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) with (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) 39 26 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) 39 26 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) 40 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) 2004/09/24 09 USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB; U					•
IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; US-PGPUB; EPO; JPO; DERWENT; I					
339 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with ((compression or coing or encoding)) 37					
339 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; US-					
with ((compression or coing or encoding)) With ((compression or coing or encoding)) With ((compression or coing or encoding)) (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) With (degrad\$5 or loss or decrease or deteriat\$4) (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) With (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) With (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) With (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) With (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) With (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) With (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding))	36	330	((calculat\$4 or determin\$4 or estimat\$4) adi3 (percent\$6, or quality))		2004/09/24 09:36
37 655 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4) 38 13 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) 39 26 ((((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) 40 160 ((((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) 2004/09/24 09 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; ISOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; ISOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; ISOCR USPAT; IBM_TDB; ISOCR USPAT; IBM_TDB; ISOCR USPAT;	30	337			2004/03/21 03:50
37 655 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4) 38 13 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) 39 26 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) 40 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding))			(compression of comp of choosing))		
Section Sect					
37 655 ((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; EPO; JPO; DERWENT; EPO; JPO; DERWE					
with (degrad\$5 or loss or decrease or deteriat\$4) 38 13 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) 26 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) 27 40 160 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) with (degrad\$5 or loss or decrease or deteriat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4) and ((compression or coing or encoding)) 2004/09/24 09 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; EPO; JPO; DERWENT; IBM_TDB;				USOCR	
38	37	655			2004/09/24 10:07
DERWENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;			with (degrad\$5 or loss or decrease or deteriat\$4)		
38					
38					
38					
with (degrad\$5 or loss or decrease or deteriat\$4)) with ((compression or coing or encoding)) 26 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) 40 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) 40 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) 40 2004/09/24 09 2004/09/24 09 2004/09/24 09 2004/09/24 09 2004/09/24 19 2004/09/24 19	20	12	(((aslaulat\$4 or datarmin\$4 or actimat\$4) adi2 (narront\$6 or quality))		2004/00/24 00:40
coing or encoding)) 26 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) 40 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) With (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) With (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) EPO; JPO; DERWENT; IBM_TDB; EPO; JPO; DERWENT; IBM_TDB;	36	13			2004/09/24 09:49
DERWENT; IBM_TDB; USOCR USPAT; USPAT; USPOCR USPAT; USPOCR USPOCR USPAT; USPOCR USPOCR USPAT; USPOCR USPOCH					
39 26 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) 40 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) 2004/09/24 09 USPAT; USOCR USPAT; USOCR USPAT; USOCR USPAT; USOCR USPAT; USPAT			comp or checamp _j)		
39 26 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) 40 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) 2004/09/24 09 USPAT;					
with (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) With (degrad\$5 or loss or decrease or deteriat\$4)) same ((compression or coing or encoding)) With (degrad\$5 or loss or decrease or deteriat\$4) adj3 (percept\$6 or quality)) With (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) With (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or Coing or encoding)) With (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or Coing or encoding))	1				
coing or encoding)) EPO; JPO; DERWENT; IBM_TDB; USOCR USPAT; USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	39	26		USPAT;	2004/09/24 09:49
DERWENT; IBM_TDB; USOCR (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) DERWENT; IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;					
40 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;			coing or encoding))		
40	1				
40 160 (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) USPAT; 2004/09/24 09 with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) EPO; JPO; DERWENT; IBM_TDB;					
with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or coing or encoding)) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	40	140	(((calculated or determined or actimated) adi2 (marconted or quality))		2004/00/24 00:40
coing or encoding)) EPO; JPO; DERWENT; IBM_TDB;	-TU	100		•	2004/03/24 0 3/43
DERWENT; IBM_TDB;					
IBM_TDB;			tomg or the times,		
41 25 latency and ((((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 USPAT; 2004/09/24 09	41	25			2004/09/24 09:49
or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and (US-PGPUB;					
(compression or coing or encoding))) EPO; JPO;			(compression or coing or encoding)))		
DERWENT;					
IBM_TDB;					
USOCR USOCR		25	(1-1		2004/00/24 22 22
	42	25			2004/09/24 09:50
or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)) and (US-PGPUB; (compression or coing or encoding)))) not (@ad>20010821 not EPO; JPO;					
(continu\$6 or provision\$4))					
IBM_TDB;	1		(Tanamawo of providiony 1)		
USOCR					

43	2869958	image or video	USPAT;	2004/09/24 10:07
43	2007730	iniage of video	US-PGPUB;	200 170 572 1 10.07
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
44	103	(((((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality))	USPAT;	2004/09/24 10:13
		with (degrad\$5 or loss or decrease or deteriat\$4)) and ((compression or	US-PGPUB;	
		coing or encoding))) and (image or video)	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
	2052		USOCR	2004/00/24 10:16
45	3072	((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality))	USPAT;	2004/09/24 10:16
		with (send\$4 or transmi\$6 or source)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB;	
			USOCR	
46	187	(((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality))	USPAT;	2004/09/24 10:16
40	167	with (degrad\$5 or loss or decrease or deteriat\$4)) and (((calculat\$4 or	US-PGPUB;	2004/07/24 10:10
		determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (send\$4 or	EPO; JPO;	
		transmi\$6 or source))	DERWENT;	
			IBM TDB;	
·			USOCR	
47	68	((((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality))	USPAT;	2004/09/24 10:17
ļ		with (degrad\$5 or loss or decrease or deteriat\$4)) and (((calculat\$4 or	US-PGPUB;	
ļ		determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (send\$4 or	EPO; JPO;	
		transmi\$6 or source))) and ((compression or coing or encoding))	DERWENT;	
!			IBM_TDB;	
			USOCR	
48	5	(((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality))	USPAT;	2004/09/24 10:28
		with (degrad\$5 or loss or decrease or deteriat\$4)) same (((calculat\$4 or	US-PGPUB;	
		determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (send\$4 or	EPO; JPO;	
		transmi\$6 or source)) same ((compression or coing or encoding))	DERWENT;	
			IBM_TDB; USOCR	
49	61	(((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality))	USPAT;	2004/09/24 10:29
47	01	with (send\$4 or transmi\$6 or source)) and (((calculat\$4 or determin\$4 or	US-PGPUB;	2004/03/24 10.29
		estimat\$4) adj3 (percept\$6 or quality)) with ((compression or coing or	EPO; JPO;	
		encoding)))	DERWENT;	
			IBM_TDB;	
			USOCR	
50	187	(((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality))	USPAT;	2004/09/24 10:29
	'	with (send\$4 or transmi\$6 or source)) and (((calculat\$4 or determin\$4 or	US-PGPUB;	
		estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or	EPO; JPO;	
		decrease or deteriat\$4))	DERWENT;	
			IBM_TDB;	
50		//	USOCR	2004/00/24 10 22
52	68	((compression or coing or encoding)) and ((((calculat\$4 or determin\$4 or	USPAT;	2004/09/24 10:30
		estimat\$4) adj3 (percept\$6 or quality)) with (send\$4 or transmi\$6 or	US-PGPUB;	
		source)) and (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality)) with (degrad\$5 or loss or decrease or deteriat\$4)))	EPO; JPO; DERWENT;	
		quanty)) with (degradas of 1055 of decrease of determination))	IBM TDB;	
			USOCR	
51	61	((compression or coing or encoding)) and (((calculat\$4 or determin\$4 or	USPAT;	2004/09/24 10:31
	•	estimat\$4) adj3 (percept\$6 or quality)) with (send\$4 or transmi\$6 or	US-PGPUB;	
		source)) and (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or	EPO; JPO;	
	:	quality)) with ((compression or coing or encoding))))	DERWENT;	
		3,,,,	IBM_TDB;	
<u> </u>			USOCR	

55	8	((((compression or coing or encoding)) and ((((calculat\$4 or determin\$4	USPAT;	2004/09/24 10:31
		or estimat\$4) adj3 (percept\$6 or quality)) with (send\$4 or transmi\$6 or	US-PGPUB;	
		source)) and (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or	EPO; JPO;	
		quality)) with ((compression or coing or encoding))))) not	DERWENT;	
		(@ad>20010821 not (continu\$6 or provision\$4))) and ((((compression	IBM_TDB;	
		or coing or encoding)) and ((((calculat\$4 or determin\$4 or estimat\$4)	USOCR	
		adj3 (percept\$6 or quality)) with (send\$4 or transmi\$6 or source)) and		
		(((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or quality))		
		with (degrad\$5 or loss or decrease or deteriat\$4)))) not (@ad>20010821		
		not (continu\$6 or provision\$4)))		
53	65	((())	USPAT;	2004/09/24 10:34
		or estimat\$4) adj3 (percept\$6 or quality)) with (send\$4 or transmi\$6 or	US-PGPUB;	
		source)) and (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or	EPO; JPO;	
		quality)) with (degrad\$5 or loss or decrease or deteriat\$4)))) not	DERWENT;	
		(@ad>20010821 not (continu\$6 or provision\$4))	IBM_TDB;	
			USOCR	
54	57	(((compression or coing or encoding)) and ((((calculat\$4 or determin\$4	USPAT;	2004/09/24 11:16
		or estimat\$4) adj3 (percept\$6 or quality)) with (send\$4 or transmi\$6 or	US-PGPUB;	
		source)) and (((calculat\$4 or determin\$4 or estimat\$4) adj3 (percept\$6 or	EPO; JPO;	
		quality)) with ((compression or coing or encoding))))) not	DERWENT;	
		(@ad>20010821 not (continu\$6 or provision\$4))	IBM_TDB;	
			USOCR	